

A DISHWASHER THAT CARES FOR THE FUTURE OF YOUR BUSINESS AND THE PLANET



Inoksan's heat recovery hood-type dishwasher offers 20% energy savings with every cycle, providing profitability for your business while contributing to a sustainable world through reduced water consumption.



20% ENERGY
SAVING

iNOKSAN



With the insight "Let our energy be preserved for the future," we focus on innovative technologies that consider tomorrow today, bringing efficiency and savings to your business while contributing to the future of our planet.

The principles of sustainable living are embedded in its nature.



EFFICIENCY AND SAVINGS HAND IN HAND

KEEPING YOUR KITCHEN RUNNING SMOOTHLY

The Dishwashing Station: Beyond Clean Plates and Utensils:
It is the first step towards serving meals with greater hygiene. At Inoksan, with our heat recovery dishwasher, we focus on every detail to help you achieve flawless operations in industrial kitchens. We transform your work into efficiency and provide solutions designed to bring profitability to your business.

**WHAT MAKES THIS DISHWASHER A
WINNER FOR BOTH YOUR BUSINESS
AND THE PLANET?**



**No More Need
for Ventilation
Hoods!**

%20
ENERGY
SAVING



LESS ENERGY

Achieves 20% energy savings through heat recovery from steam generated during high-temperature rinsing.



MORE EFFICIENT

Minimizes water spots with an advanced drying system and conserves natural resources by using less water.



MORE HYGIENIC

Reduces chemical vapor emissions, promoting a healthier environment for both people and the workplace.



MORE ECONOMIC

Reduces your operational costs and helps you quickly recover the investment you made in the equipment!

iNOKSAN

iNOKSAN



TANK



BOILER


A TECHNOLOGY THAT SAVES BOTH ENERGY AND YOUR MONEY!

Inoksan's heat recovery dishwasher, with its innovative technology offering 20% energy savings, supports business profitability with a ROI of just 2 years.





FEATURES DELIVERING FULL PERFORMANCE IN RESTAURANTS, HOTELS, AND VARIOUS INDUSTRIES:

- User-friendly digital control panel
- Three washing modes for different load sizes
- Spacious chamber accommodating all dishware, including plates, spoons, and forks
- Modular design for easy cleaning of washing and rinsing arms and filters
- Axial fans with IP 55 protection, resistant to moisture and dust

“Focus on Your Business,
Leave the Dishes to Your
Inoksan Dishwasher!”



INOKSAN



GENERAL FEATURES

- Controlled by electronic circuit board
- Modular design for easy cleaning with removable washing, rinsing arms, and filters
- Digital displays showing washing and rinsing water temperatures
- Easy-to-remove and attach washing/rinsing arms and cleaning filters
- Features a 3 washing program technology
- Safety system that stops operation when the door is opened
- Basket size of 500x500 mm
- Safety thermostats for tank and boiler temperatures
- AISI 304 Cr-Ni stainless steel construction
- Includes 1 glass basket, 1 plate basket, and 1 cutlery basket
- Option to install a drain pump for areas with high drain levels
- Pressostat system for automatic control of tank water level
- Start feature activated by door
- Built-in rinsing pump
- System to prevent steam release when the door is opened after washing
- Steam-free technology eliminating the need for a ventilation hood
- Heat recovery indicator
- 20% energy savings per rack thanks to IGD technology

TECHNICAL SPECIFICATIONS

DESCRIPTION	VALUE	UNIT
Water Inlet	3/4	inc
Water Pressure	2-4	Bar
Electrical Input - 3 Phase	380/400	Volt
Washing Motor Power	0,6	kW
Max. Electric Power	8,7	kW
Frequency	50	Hz
Water Consumption	3,3	Lt/cyc
Tank Power	2,7	kW
Boiler Power	8	kW
Washing Temperature	55	°C
Rinse Temperature	85	°C
Water Inlet Temperature	20-30	°C
Boiler Volume	6	lt
Tank Water Volume	29	lt
Plate Capacity	544	pcs/h
Basket Capacity	34	pcs/h
Glass Capacity	1224	pcs/h
Tray Capacity	272	pcs/h
Max. Plate Diameter	400	mm
Plate Height	380	mm
Number of Programs	3	pcs
Short Program	100	sn
Mid Program	150	sn
Long Program	210	sn
Cable Cross Section	5x4	mm ²
Weight	113	kg
Rinse Motor Power	0,33	kW
Discharge Engine Power	31	watt
Detergent Pump Power	8	watt
Rinsing Pump Power	8	watt



Call Center
0850 290 44 00

www.inoksan.com

[f inoksan](#) [inoksanmutfak](#) [in company/inoksan](#)

iNOKSAN